

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	@ad<"19990923" and (transpare\$3 near10 gateway) and (inform same unavailable)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 08:57
S2	2	@ad<"19990923" and (transpare\$3 near10 gateway) and inform and unavailable	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:57
S3	22	@ad<"19990923" and "709".clas. and (inform same unavailable)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:03
S4	5	@ad<"19990923" and "709".clas. and (inform same (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:05
S5	0	@ad<"19990923" and ((inform near5 client) same (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:06
S6	0	@ad<"19990923" and ((inform near10 client) same (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:06
S7	0	@ad<"19990923" and ((inform near20 client) same (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:06
S8	18	@ad<"19990923" and ((inform near20 client) and (unavailable near20 server))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:07
S9	4	@ad<"19990923" and (inform near20 client) and (link near10 (failure or unestablished or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:09
S10	25	@ad<"19990923" and (inform near20 client) and (link near10 (failure or established or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:13
S11	1655	@ad<"19990923" and inform and (link near10 (failure or established or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/07 15:14
S12	260	@ad<"19990923" and "709".clas. and inform and (link near10 (failure or established or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 09:14
S13	33	@ad<"19990923" and "709".clas. and (inform same client) and (link near10 (failure or established or broken))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:57
S14	2	"6496575".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/09/04 10:49

## EAST Search History

S15	0	@ad<"19990923" and ("SOCKS server" or (SOCKS adj3 V5) or (SOCKS adj3 V4)) and ("directory lookup" or (directory same lookup)) and (security or authenti\$5) and protocol and "relay data"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 14:03
S16	19	@ad<"19990923" and "SOCKS server" or SOCKS and ("directory lookup" or (directory same lookup)) and (security or authenti\$5) and protocol and "relay data"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:17
S17	0	@ad<"19990923" and 709/230.ccls. and "SOCKS server" and (directory near10 (gateway or "SOCK server" or "SOCKS server")) and (security or authenti\$5) and protocol and "relay data"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 15:08
S18	0	@ad<"19990923" and 709/230.ccls. and "SOCKS server" and (directory near10 (gateway or "SOCK server" or "SOCKS server")) and (security or authenti\$5) and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 11:33
S19	0	@ad<"19990923" and "SOCKS server" and (directory near10 (gateway or "SOCK server" or "SOCKS server")) and (security or authenti\$5) and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 11:33
S20	0	@ad<"19990923" and "SOCKS server" and (directory near20 (gateway or "SOCK server" or "SOCKS server")) and (security or authenti\$5) and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 11:33
S21	1	@ad<"19990923" and "SOCKS server" and (directory same (gateway or "SOCK server" or "SOCKS server")) and (security or authenti\$5) and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 13:55
S22	10	@ad<"19990923" and "Active Directory" and Microsoft.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 13:56
S23	0	@ad<"19990923" and 709/230.ccls. and determine adj10 which adj20 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:15
S24	61	@ad<"19990923" and 709/230.ccls. and determine adj10 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 07:57
S25	0	@ad<"19990923" and 709/230.ccls. and determine adj10 protocol adj10 use	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 15:10
S26	1	@ad<"19990923" and 709/230.ccls. and determine adj10 protocol adj10 utili\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 15:17
S27	2	"5699350".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/11/03 15:17
S28	0	@ad<"19990923" and gateway near10 transparency and gateway near10 ("directory lookup" or (directory same lookup) or directory or interrogat\$3) and (retrieve near5 data ) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:18

## EAST Search History

S29	0	@ad<"19990923" and gateway near10 transparency and gateway same ("directory lookup" or (directory same lookup) or directory or interrogat\$3) and (retrieve near5 data ) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:18
S30	0	@ad<"19990923" and (gateway same transparency) and (gateway same ("directory lookup" or (directory same lookup) or directory or interrogat\$3)) and (retrieve near5 data ) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:19
S31	0	@ad<"19990923" and (gateway same transparency) and (gateway same (directory or interrogat\$3)) and (retrieve near5 data ) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:19
S32	0	@ad<"19990923" and (gateway same transparency) and (gateway same (directory or interrogat\$3)) and (retrieve same data ) and (security or authenti\$5) and protocol and ("relay data" or (relay near10 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:19
S33	0	@ad<"19990923" and (gateway same transparency) and (gateway same (directory or interrogat\$3)) and (retrieve same data ) and (security or authenti\$5) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:19
S34	14	@ad<"19990923" and (gateway same (directory or interrogat\$3)) and (retrieve same data ) and (security or authenti\$5) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:26
S35	38	@ad<"19990923" and (client near10 directory ) and (retrieve near10 data ) and (security or authenti\$5) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:34
S36	4	@ad<"19990923" and ("client side directory" or "client directory" or (client adj3 directory)) and (retrieve near10 data ) and (security or authenti\$5) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:36
S37	4	@ad<"19990923" and ("client side directory" or "client directory" or (client adj3 directory)) and (retrieve near10 data ) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:38
S38	4	@ad<"19990923" and (interrogat\$3 near20 "client side directory" or "client directory" or (client adj3 directory)) and (retrieve near10 data ) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:40
S39	279	@ad<"19990923" and ((interrogat\$3 or examine or "go over" or "inquire" or "investigate" or "query" or "question") near20 "client side directory" or "client directory" or (client adj3 directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:41
S40	4	@ad<"19990923" and ((interrogat\$3 or examine or "go over" or "inquire" or "investigate" or "query" or "question") near20 "client side directory" or "client directory" or (client adj3 directory)) and (retrieve near10 data ) and ("relay data" or (relay same data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:41
S41	68	@ad<"19990923" and ((interrogat\$3 or examine or "go over" or "inquire" or "investigate" or "query" or "question") near20 "client side directory" or "client directory" or (client adj3 directory)) and retriev\$3 adj10 data	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2003/12/11 09:42
S42	12	@ad<"19990923" and gateway same ((interrogat\$3 or examine or "go over" or "inquire" or "investigate" or "query" or "question") near20 "client side directory" or "client directory" or (client adj3 directory) or directory) and (retriev\$3 adj10 data) and (access\$3 adj3 server) and enable and disable and update and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:42

## EAST Search History

S43	164	"5867495"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/09/03 19:25
S44	0	@ad<"19990923" and (transpare\$3 near10 gateway) and (search or inerroga\$5) near10 (directory or database) and ((retrieve or access) near behalf)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:44
S45	0	@ad<"19990923" and (transpare\$3 near10 gateway) and (search or inerroga\$5) near10 (directory or database) and ((retrieve or access) near10 behalf)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:45
S46	131	@ad<"19990923" and (transpare\$3 near10 gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:45
S47	29	@ad<"19990923" and (transpare\$3 near10 gateway) and retrieve	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:45
S48	6	@ad<"19990923" and (transpare\$3 near10 gateway) and retrieve and behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/03 19:49
S49	4	@ad<"19990923" and (transpare\$3 near10 gateway) and retrieve and behalf and retrieved	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/09/04 08:56
S58	90	@ad<"19990923" and (proxy same protocol same parameter\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:58
S59	27	@ad<"19990923" and (proxy same protocol same parameter\$2) and behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:59
S60	6	@ad<"19990923" and ((proxy near10 protocol) same parameter\$2) and behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/04 07:59
S61	2	"5457821".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/07 15:15
S62	0	@ad<"19990923" and ((query or interrogat\$3) adj5 (director\$3 or database\$2 or storag\$3)) same (proxy adj2 server adj5 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 07:59
S63	84	@ad<"19990923" and (proxy adj2 server adj5 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:20
S68	2	@ad<"19990923" and ((proxy adj2 server adj5 protocol) same retriev\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:41
S69	0	@ad<"19990923" and (proxy adj2 server same pars\$3 same determine adj10 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:21

## EAST Search History

S70	0	@ad<"19990923" and ((proxy adj2 server) same pars\$3 same (determine adj10 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:21
S71	0	@ad<"19990923" and ((proxy ) same pars\$3 same (determine adj10 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:22
S72	5	@ad<"19990923" and proxy and ( pars\$3 same (determine adj10 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:22
S73	1	@ad<"19990923" and ((proxy adj2 server adj5 protocol) same (database or repository))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:45
S74	0	@ad<"19990923" and ((proxy adj2 server adj5 protocol) same (parameter\$2 or attribut\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:45
S75	131	@ad<"19990923" and ((proxy adj2 server) same (parameter\$2 or attribut\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 09:45
S76	2	@ad<"19990923" and ((proxy adj2 server) near10 associat\$3 near10 (parameter\$2 or attribut\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:02
S77	0	@ad<"19990923" and (proxy adj2 server) same coordinat\$5 same request same users	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:03
S78	1	@ad<"19990923" and (proxy adj2 server) same coordinat\$5 same users	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:04
S79	47	@ad<"19990923" and (proxy or gateway) same coordinat\$5 same users	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:04
S80	0	@ad<"19990923" and (proxy or gateway) same coordinat\$5 same users same parameter\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 11:04
S81	3	@ad<"19990923" and (proxy or gateway) same coordinat\$5 same users same (parameter\$2 or attribut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 14:31
S82	115	@ad<"19990923" and (execut\$3 adj10 protocol same retriev\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 14:32
S83	7	@ad<"19990923" and (execut\$3 adj10 protocol same retriev\$3) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 15:47
S84	13	@ad<"19990923" and socks adj5 (protocol or format)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 15:48

## EAST Search History

S85	6	@ad<"19990923" and socks adj5 (protocol or format) and (directory or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 15:49
S86	7	@ad<"19990923" and socks adj5 (protocol or format) and (director\$3 or database\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:36
S87	1292	@ad<"19990923" and (server near10 protocol same (database or repository or directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:37
S88	282	@ad<"19990923" and (server near10 protocol same (database or repository or directory) same (query or retriev\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:38
S89	198	@ad<"19990923" and (server near10 protocol same (database or repository or directory) same (query or retriev\$3) same (user\$2 or client\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:39
S90	20	@ad<"19990923" and (server near10 protocol same (database or repository or directory) same (query or retriev\$3) same (user\$2 or client\$2) same execut\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:40
S91	1	@ad<"19990923" and (server near10 protocol same (database or repository or directory) same (query or retriev\$3) same (user\$2 or client\$2) same execut\$4) and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:43
S92	350	@ad<"19990923" and (determin\$3 near10 protocol) same (retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:49
S93	14	@ad<"19990923" and ((determin\$3 near10 protocol) same ((retriev\$3 or quer\$3) near10 (parameter\$2 or attribut\$3)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:45
S94	209	@ad<"19990923" and (determin\$3 adj10 protocol) same (retriev\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:50
S95	4	@ad<"19990923" and (determin\$3 adj10 protocol) same (retriev\$3 or quer\$3) adj10 (parameter\$2 or attribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:51
S96	0	@ad<"19990923" and (proxy adj10 protocol) same (retriev\$3 or quer\$3) adj10 (parameter\$2 or attribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:51
S97	9	@ad<"19990923" and (proxy adj10 protocol) same (query\$3 or interrogat\$3) same (user\$2 or client\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/11 16:52
S98	3	@ad<"19990923" and (server adj5 side) same (prox\$3 adj5 cache\$2) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 14:28
S99	0	@ad<"19990923" and (server adj5 side) same (prox\$3 adj5 cache\$2) same client near10 (information\$2 or data\$2 or packet\$2 or object\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 14:28

## EAST Search History

S10 0	5	@ad<"19990923" and (server adj5 side) same (prox\$3 adj5 cache\$2) and (client near10 (information\$2 or data\$2 or packet\$2 or object\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:18
S10 1	337	@ad<"19990923" and ((gateway\$2 or prox\$3) same determine same protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:19
S10 2	107	@ad<"19990923" and ((gateway\$2 or prox\$3) same (determine near10 protocol\$2) )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:19
S10 3	20	@ad<"19990923" and ((gateway\$2 or prox\$3) same (determine near10 protocol\$2) same (execut\$3 or run or implement\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:28
S10 4	8	@ad<"19990923" and ((gateway\$2 or prox\$3) same (determine adj10 protocol\$2) same (execut\$3 or run or implement\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 15:28
S10 5	2	"6131163".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/04/14 08:30
S10 6	1107	@ad<"19990923" and @rlad<"19990923" and sock	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:16
S10 7	0	@ad<"19990923" and @rlad<"19990923" and sock and (interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:19
S10 8	2	@ad<"19990923" and @rlad<"19990923" and sock and (interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:20
S10 9	1701	@ad<"19990923" and @rlad<"19990923" and (interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:20
S11 0	3	@ad<"19990923" and @rlad<"19990923" and (interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:23
S11 1	56	(interrogat\$4 or quer\$4 or retriev\$4) near3 (director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:35
S11 2	64	(interrogat\$4 or quer\$4 or retriev\$4) near3 (proxy or gateway or director\$4 or database or table or (look adj up)) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:35
S11 3	8	(interrogat\$4 or quer\$4 or retriev\$4) near3 (proxy or gateway) same (parameter\$2 or value\$2 or object\$2) same behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/20 09:36
S11 4	395	(proxy or gateway) near3 directory	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:54

## EAST Search History

S11 5	0	(proxy or gateway) near3 directory and update and (retriev\$4 near3 parameter42)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:54
S11 6	0	(proxy or gateway) near3 directory and (retriev\$4 near3 parameter42)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 10:55
S11 7	41	(proxy or gateway) near3 directory and (retriev\$4 or request\$3 or query\$3) near3 parameter\$2	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:11
S11 9	204	((proxy or gateway) with directory) and (retriev\$4 or request\$3 or query\$3) near3 parameter\$2 and behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:12
S12 0	18	((proxy or gateway) with directory) and ((retriev\$4 or request\$3 or query\$3) near3 parameter\$2) same behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:19
S12 1	2	"6477577".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:20
S12 2	387	(name adj3 server) near5 director\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:20
S12 3	2	(name adj3 server) near5 director\$3 same behalf	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:23
S12 4	12	(proxy near3 server near3 protocol) same directory	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 11:38
S12 5	1	"60113870"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 12:55
S12 6	2	"6301609".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 12:56
S12 7	2	"20030069927"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 10:49



## EAST Search History

S12 8	2	"5917925".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 13:22
S12 9	2	"20030212863"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:20
S13 0	2	"6301609".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:20